

Volume and surface area of Holstein dairy cows calculated from complete 3D shapes acquired using a high-precision scanning system: Interest for body weight estimation

Yannick Le Cozler, C. Allain, Caroline Xavier, L. Depuille, Anaïs Caillot, J.M. Delouard, L. Delattre, T. Luginbuhl, Philippe Faverdin

▶ To cite this version:

Yannick Le Cozler, C. Allain, Caroline Xavier, L. Depuille, Anaïs Caillot, et al.. Volume and surface area of Holstein dairy cows calculated from complete 3D shapes acquired using a high-precision scanning system: Interest for body weight estimation. Computers and Electronics in Agriculture, 2019, 165 (104977), pp.104977. 10.1016/j.compag.2019.104977. hal-02286677

HAL Id: hal-02286677

https://institut-agro-rennes-angers.hal.science/hal-02286677

Submitted on 23 Aug2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

1	Volume and surface area of Holstein dairy cows calculated from complete 3D
2	shapes acquired using a high-precision scanning system: interest for body
3	weight estimation
4	
5	Y. Le Cozler ^{(1)*} , C Allain ⁽²⁾ , C Xavier ⁽¹⁾ , L. Depuille ⁽²⁾ , A. Caillot ⁽¹⁾ , J.M. Delouard ⁽³⁾ , L.
6	Delattre ⁽³⁾ , T. Luginbuhl ⁽³⁾ , P. Faverdin ⁽¹⁾
7	(1) PEGASE, Agrocampus-Ouest, INRA, 35590 Saint-Gilles, France
8	(2) Institut de l'Elevage, Monvoisin, 35652 Le Rheu, France
9	(3) 3D Ouest, 5 Rue de Broglie, 22300 Lannion, France
10	
11	* Corresponding author: yannick.lecozler@agrocampus-ouest.fr
12	
13	Abstract
14	Three-dimensional (3D) imaging is a solution for monitoring morphology and growth
15	of dairy cows, but it can also estimate indicators such as body volume, surface area
16	and body weight. A 3D full-body scanning device was used to scan 64 lactating
17	Holstein cows from March-June 2018. The cows were individually and automatically
18	weighed at a static weighing station (mean \pm standard deviation = 673 \pm 65 kg).
19	These measured weights were compared to those predicted from regression models
20	based on volume, area or morphological traits determined from 177 3D images.
21	Since some images were truncated due to cow movement or technical problems, we
22	developed additional regression models to reconstruct total volume or area. The
23	accuracy of volume and area measurements was first tested on an inert cylindrical
24	form (coefficients of variation (CVs) < 0.72%). The CVs for repeatability and
25	reproducibility of the method of calculating volume and area from truncated images

were 0.17% and 3.12%, respectively. Cow volume and area ranged from 0.61-0.96 m³ and 5.80-8.32 m² respectively. Five regression models were developed to estimate cow body weight. Their coefficients of determination ranged from 0.82-0.93 with prediction errors of ca. 3% (20 kg) and 4% (29 kg) as a function of volume and area, respectively. The device and the method, evaluated and validated in this study, offer the possibility to use new indicators such as body volume and area in precision livestock farming.

33

Keywords: volume, area, cows, sensors, 3D images, weight estimation

35

36 **1. Introduction**

New technologies based on image analysis are successfully used to improve 37 38 management of most types of animal production. They have been developed to detect lameness in cows (van Hertem et al., 2014; Zhao et al., 2018) or to measure 39 body parameters such as body condition score (BCS; Halachmi et al., 2008; Fischer 40 et al., 2015; Sploliansky et al., 2016). Two-dimensional (2D) image approaches used 41 in the past (Marchant et al., 1993; Schofield et al., 1998) were less effective due to 42 the lack of a third dimension, distortion problems, the complexity of calibration and 43 the need for multiple cameras and three-dimensional (3D) reconstruction models. 44 Inexpensive 3D cameras (< 300 €) are now available, which increases the interest in 45 3D approaches. They have been used to analyze BCS in dairy cattle, using either a 46 fixed (Fischer et al., 2015) or mobile (Kuzuhara et al., 2015) device. Other authors 47 (Negretti et al., 2008; Buranakarl et al., 2012; Guo et al., 2017; Pezzuolo et al., 2018) 48 have also developed and used 3D imaging technologies for a wider variety of 49 livestock. In most cases, animals were measured under laboratory conditions (heavy 50

equipment and landmarks on animals to guide computer measurements), which
provided images of the entire body of restrained animals or portions of the body of
unrestrained animals.

Equipment can often be adapted to farm conditions and recent literature describes 54 devices used to estimate body weight (BW) of pigs in barns (Pezzuolo et al., 2018; 55 Wang et al., 2018) and broilers in houses (Mortensen et al., 2016). Inexpensive and 56 portable equipment based on the Microsoft Kinect® v1 sensor have often been used; 57 however, authors concluded that most methods needed additional technical 58 development to acquire and extract data automatically. Using 3D image technology to 59 estimate animal BW is also of interest, since it reduces risky situations for both 60 animals and humans and can provide frequent records. This technology is also 61 suitable for collecting information about animal volume and area. For example, to 62 63 examine heat stress in an increasingly warm environment, it would be useful to focus on area, since evaporative heat loss in most mammals occurs via perspiration from 64 the skin and respiration (Berman, 2011). 65

The Morpho3D scanning device was developed to record and monitor morphological traits (Le Cozler et al., 2019). In the present study, we tested the hypothesis that it could also determine volume and area of dairy cows accurately and thus their BW.

69

70 2. Materials and methods

2.1. Animals: Data were obtained from the INRA-UMR PEGASE experimental dairy
station at Méjusseaume, Le Rheu, in western France (48°11' N; 1°71' W; elevation 35
m). The study involved 64 Holstein dairy cows with a mean BW of 673 kg (standard
deviation (SD) = 65 kg) and parity ranging from 1-5. After each milking (twice a day),
cows were individually and automatically weighed at a static weighing station

(DeLaval France, Elancourt, France) at the milking parlor's exit. Mean BCS, based on 76 the French scoring scale of 0-5 (Bazin et al., 1984), was 2.05 (± 0.25). One month, 77 after weighing, cows were scanned with the Morpho3D device (section 2.3). Data 78 were collected from March-June 2018, yielding 289 3D images. However, due to 79 abnormal behavior of the cows or excessive light in May (which generated artifacts 80 on images), cloud points were considered of too low quality to be used for 3D images 81 reconstruction (Fig.1). As a result, only 177 3D images were used to estimate 82 morphological traits, volume and area. 83



Figure 1. Examples of poor quality cloud points due to (a) excessive light or (b) animalmovement.

86

To limit image quality problems due to animal movements and excess light, the Morpho3D device was then partially covered with an opaque tarpaulin and the installation of a feed fence limited the cow movement.

90

91 2.2. Cylinder model: A cylinder model, on which measurements could be performed 92 easily and precisely, was scanned to determine the accuracy of measurements and 93 calculations of volumes and areas from 3D images. The cylinder model was 94 considered the reference object, and its volume and area were measured manually 95 and calculated.

2.3. Morphological acquisition system: 3D images of the cows were acquired 96 automatically using Morpho3D, a sliding acquisition system, located near the 97 weighing station (Fig. 2). Briefly, the system had five cameras, each paired with a 98 laser projector. The VGA image resolution of each camera was 640 × 480 pixels. Two 99 cameras were fixed at 0.40 and 1.77 m above ground level, respectively, on each 100 side of the portal. The fifth camera was fixed to the middle of the top of the portal 101 (3.00 m above ground level). The portal moved at a mean speed of 0.5 m.s⁻¹ from 102 back to front (phase 1) and returned to its initial position at a mean speed of 0.3 m.s⁻¹ 103 (phase 2). Each camera took 80 images per second only during phase 1, yielding a 104 total of 2,000 images. The cameras were attached to the sliding portal (I = 5.00 m; w 105 = 2.58 m; h = 3.00 m; Fig. 2). See Le Cozler et al. (2019) for additional details about 106 107 Morpho3D.



108

109 Figure 2. Design of the Morpho3D scanner

110

111 Reconstructing an animal in 3D is a generalization of laser triangulation. Each 112 Morpho3D laser generates a vertical plane, whose intersection with the object

appears as a stripe in each image, yielding more points per image. Knowing the 113 equation of the plane in the camera frame allows the 3D position of the points in each 114 stripe in the camera frame to be determined by intersecting the plane with the ray 115 passing through the origin of the camera and the points observed in the image plane. 116 Sliding the system's portal horizontally scans the laser plane over the entire object, 117 yielding a point cloud consisting of several "slices" of 3D points (1 slice = 1 image). 118 These point slices are aggregated based on the location of the system's portal. The 119 cameras were calibrated using a black-and-white checkerboard placed in different 120 locations in the Morpho3D device. Each camera-laser pair was calibrated individually 121 122 and then two-by-two to calibrate all five cameras collectively. Images of the laser stripes projected onto the cow were captured by their corresponding camera and sent 123 to a computer to reconstruct the cows' 3D information. First, images from each 124 125 camera were processed to build separate point clouds using calibration information and the speed of the portal. A 3D reconstruction of the entire cow was generated by 126 127 recording and merging the multiple 3D point clouds from the five camera-laser pairs. This resulted in a single point cloud representation of the entire cow. 128

Two camera filters were used during image capture: a physical filter centered on the 129 laser wavelength to reduce ambient light and increase the contrast of laser stripes in 130 each image and a software filter to prevent recording of undesirable points too far 131 from the camera. Undesired objects were deleted during a cleaning process using 132 Metrux2a® software (3D Ouest, Lannion, France). This step ensured that the point 133 cloud is a sampling of a smooth surface on which surface normal vectors can be 134 estimated. Finally, surface normals were estimated from the point cloud, and a 135 screened Poisson surface-reconstruction algorithm was applied to build a 136 triangulated mesh (Kazhdan and Hoppe, 2013) using Meshlab® open-source 137

138 software (Cignoni et al., 2008).

139

140 **2.4. Calculating volume and area**

141 **2.4.1.** Principles of calculating volume and area

Metrux2a® was used to perform linear measurements and estimate morphological 142 traits, volume and area. Le Cozler et al. (2019) describe the linear measurements 143 and their validation. Volume and area were automatically calculated by algorithms 144 integrated into Metrux2a®, similar to the method used for morphological traits. Area 145 was calculated from a triangular 3D mesh created from a list of interconnected 3D 146 147 vertices. Each vertex shared by several triangles was then indexed to identify its position in relation to the other vertices to create a list of triplets of vertices that form 148 the triangles. From this list, the area of each triangle was calculated. The total area of 149 the cow equaled the sum of the areas of the triangles of the 3D mesh. 150

Volume was calculated using the method of Mirtich (1996), based on divergence theorem and Green's theorem. In it, volume equals the volumetric integral of the characteristic function of the object, but this integral cannot be calculated directly for a complex volume. Instead, faces and points, from which calculations can be made, must be introduced. The divergence theorem transforms an integral of the volume into an integral of the area, as follows

157
$$\int_{\mathcal{V}} \nabla F \, dV = \int_{\delta \mathcal{V}} F \cdot \hat{n} \, dA$$

where v is the volume, δv is the surface around the volume, ∇ is the nabla operator which characterizes the divergence, F is the vector field of the volume and n is the normal to the surface oriented towards the outside.

161 This divergence theorem is used on a vector field whose divergence is equal to 1 in 162 order to find the characteristic function of the object. In a second step, the surface 163 around the volume is calculated using Green's theorem, which transforms the integral 164 of the area of the triangles of the 3D mesh into an integral of the segments, 165 themselves calculated from the 2D coordinates of the vertices. This step requires 166 transforming the 3D coordinates into local 2D coordinates. The volume and area of 167 the 3D image are then calculated from the vertices of the triangular 3D mesh.

168

169 2.4.2. Application to the cylinder model

We first applied the method to calculate the volume and area of the cylinder model. After scanning, image acquisition and cleaning, a single point-cloud representation of the cylinder was obtained and a triangulated mesh was built (Fig. 3). This process was repeated 10 times to acquire 10 images. We then compared the volumes and areas calculated by Metrux2 α ® to those calculated by Meshlab®, since the latter is widely used for this purpose. We also compared the volume and area measured manually to those calculated by Metrux2 α ®.



177

Figure 3. Data acquisition from (a) the reference cylinder model (b) the raw point cloud aftercleaning and (c) the final 3D image after Poisson surface-reconstruction.

180

181 **2.4.3. Application to living animals**

Due to animal movement, not all images could be used in full. Although the cow's body was digitized properly, its head usually moved, which sometimes distorted its volume and area. It was sometimes necessary to restrain younger and/or nervous
animals in a feed fence during image acquisition. As a result, the image was cut off at
shoulder level (Fig. 4).

187



Figure 4. Images obtained when a cow was (a) restricted in a feeding fence (truncated image) or (b) its head moved too much during image acquisition.

190

To decrease cow movement without affecting the lasers, we provided concentrate 191 192 feed in a rectangular bowl, either opaque plastic or transparent glass. The presence of the opaque plastic bowl changed the shape of the cow's volume (Fig. 5). The 193 depth of the cow's head in the bowl at the time of acquisition varied, but the addition 194 of the bowl to the cow's head added a maximum volume of 5 dm³ and area of ca. 0.2 195 m² (Fig. 5a). In some images, the bowl truncated the head, removing a mean volume 196 of 3 dm³ and a mean area of 0.1 m² (Fig. 5b). To avoid this bias, the transparent 197 198 glass bowl was used, which did not distort the cow's head, allowing volume and area of the cow to be calculated accurately (Fig. 5c). 199

200

201

202



Figure 5. Differences in cow head reconstruction with (a) an opaque plastic bowl, (b) an opaque plastic bowl that truncates the head or (c) a transparent glass bowl.

213

Given the need to restrain some cows, we assessed the ability to estimate total volume and area from images of animals cut off at shoulder level. Only high-quality images (i.e. with the head scanned correctly) were selected. Two volumes and areas were determined on from the images: total volume and area, calculated using the automatic algorithm, and truncated volume and area, measured by placing one plane at the tip of the shoulder blades (similar to that used by Minagawa (1994)) and another at the rump (Fig. 6).



221

Figure 6. Position of the cutting planes used to estimate truncated volume and area when the

head was missing from an image (i.e. cow restrained by a feed fence)

The two planes were placed using 3D image-processing software Metrux2 α ® after placing three points on the image (Fig. 5). The Metrux2 α ® was used to estimate the volume and area between the two planes and to measure six morphological traits from the images: heart girth, chest depth, wither height, hip width, backside width and ischial width. Details of these traits are available in Le Cozler et al. (2019).

Area and volume could be influenced by surface noise and some apparent roughness. Cleaning the resulting points cloud before creating the image required then patience and precision. Nevertheless, for some images, the reconstruction was sometimes not totally satisfactory (e. g. tail stuck to the animal, which was not the case on points cloud). But these errors were finally negligible, since the validation tests, carried out on different images of the same animals showed extremely small variations (see section 3.3)."

237

238 2.5. Repeatability and reproducibility analyses

As done for morphological traits (Le Cozler et al., 2019), we used the Morpho3D device to estimate the repeatability and reproducibility of calculating volume and area.

242

243 2.5.1. Repeatability and reproducibility of plane placement

Since total volume and area were calculated automatically, their repeatability and reproducibility did not require assessment (i.e. no variation among measurements due to the operator). For truncated images, however, the repeatability of plane placement and point identification was analyzed to determine whether, for a given image, the placement of planes was reliable and whether the same volume or area could be calculated. Five images of complete cows were used, on which the same

operator placed the cutting planes five times. Truncated volume and area were thuscalculated five times from each of five different images.

For reproducibility, we assessed the ability of different operators to identify visually where to place the cutting planes. On images of five cows scanned only once, two operators repeated the placements five times each. In total, we assessed 50 measurements (25 per operator) on five different images. Truncated volume and area were then calculated.

257

258 2.5.2. Reproducibility of volume and area of the Mopho3D device in a changing 259 environment

Analysis of reproducibility aimed to verify whether the method was able to calculate 260 the same values from different image acquisitions in a changing environment caused 261 262 by variability in cow position, image reconstruction and operator plane placements. Reproducibility was assessed using images of nine cows, each undergoing the entire 263 procedure, from initial acquisition to calculation of volume and area, five times. The 264 same operator performed all of the manipulations. In this procedure, the 265 reproducibility combined the repeatability error of volume and area calculation with 266 that of plane placement. 267

268

269 **2.5.3. Calculation**

Variability in volume and area calculated from the 3D images was corrected for the effect of individual cows by extracting residuals from an analysis of variance (ANOVA) model. Repeatability and reproducibility were estimated using the SDs of placement repeatability (σ_{rp}), inter-operator reproducibility (σ_{Ro}) and reproducibility in a changing environment (σ_{Ri}). Values of σ_{rp} and σ_{Ri} were calculated from the residues

of the single-factor ANOVA of the individual-cow effect, while σ_{Bo} was calculated from 275 the mean of the reproducibility SDs of an ANOVA of the operator effect. Existing 276 variations among cows were then excluded from the analysis. The coefficients of 277 variation of repeatability (CV_{rp}) and those of inter-operator and changing environment 278 reproducibility (CV_{R0} and CV_{Ri}, respectively) were then estimated from their 279 respective means (μ_{rp} , μ_{Ro} and μ_{Ri} , respectively) and SDs (σ_{rp} , σ_{Ro} and σ_{Ri} . 280 respectively). The more repeatable (or reproducible) the 3D measurement, the 281 smaller was its CV_{rp} (or CV_{Ro} or CV_{Ri}). 282

283

284 **2.6. Estimation of body weight**

Cow BW was measured twice a day. BW was also predicted using several regression 285 models based on morphological traits, volume and area calculated with the 286 287 Morpho3D device. Predictions of these models were then compared to the BW measured with the weighing system. From the measurements performed on 288 complete images, a correlation matrix of Pearson coefficients was calculated to 289 identify relationships between traits. Volume, area and morphological traits were 290 measured or/ calculated from 3D images, while other traits, such as BCS and BW, 291 were available in the database of the herd management system. 292

Several linear regression models to predict BW from traits measured or calculated from the 3D images were tested. The models were developed using the Akaike information criterion (AIC) with "backward elimination" variable selection. This method begins with all variables and then removes one or more variables at each iteration until it obtains the minimum value of the AIC, defined as $2 \times (n-2) \times \log(L)$, where n is the number of variables in the model and L is the maximum probability of the likelihood function. Each final model was cross-validated to estimate its prediction

error. Cross-validation was preferred due to the small size of the dataset, which 300 precluded separating it into sufficiently large calibration and validation datasets. The 301 dataset was thus randomly divided into 2 groups, one of them containing 90% of 302 datasets. This large group was used to develop BW models, which were then 303 validated on data from the remaining group. Ten iterations of each model were cross-304 validated 100 times using different random draws to obtain a large number of 305 variations and calculate the root mean square error of prediction (RMSEP). 306 Coefficient of determination (R²) and RMSEP of the models were calculated to 307 determine the quality of the linear regression and quantify the mean prediction error 308 made by the model during cross-validation, respectively. 309

310

311 **2.7. From truncated to complete images**

312 Total volume and area were predicted using regression models based on truncated images. As before, models were developed using AIC with "backward elimination" 313 variable selection. The same variables, except for total volume and area, were used 314 in the models. Two models for each variable (total volume and total area) were 315 developed: one with multiple variables that minimized RMSEP and another with only 316 truncated area or volume. As before, 10 iterations of each model were cross-317 validated 100 times using different random draws to obtain a large number of 318 variations and calculate RMSEP. 319

320

321 **2.8. Statistical analysis**

All statistical analyses (i.e. ANOVA, repeatability, reproducibility, correlation analysis)
 were performed using R software (R Core Team, 2016).

324

325 **3. Results**

326 **3.1. Volume and area of the cylinder model**

The error in determining both volume and area of the cylinder model was 0.0005% for Metrux2 α ® and 0.0001% for Meshlab®. Differences between Metrux2 α ® estimates and manual measurements were less than 1%, regardless of the trait (Table 1).

331

Table 1. Mean and standard deviations (SD) of traits of the cylinder model estimated by the

333 Morpho3D device (10 images) and absolute and relative differences between them and

334 manual measurements.

			Difference		
Trait	Mean	SD	Absolute	Relative	
Length (h), m	1.552	0.010	-0.010	0.62%	
Circumference (d x π), m	1.880	0.005	-0.008	0.24%	
Surface area (π x d x (h + d/2)), m ²	3.490	0.015	-0.028	0.44%	
Volume ($\pi x (d/2)^2 x h$), m ³	0.440	0.003	-0.003	0.72%	

335

336 **3.2. Volume and area of cows**

Morphological traits, volume and area were measured or calculated for the 64 Holstein dairy cows (Table 2). Mean (\pm 1 SD) volume and area of cows was 0.76 (\pm 0.07) m³ and 6.84 (\pm 0.45) m², respectively. Truncated volume and area equaled 90% and 81% of total volume and area, respectively. Density of the cows (i.e. BW/total volume) was 0.89 kg dm⁻³, but ranged 0.79 to 0.95 kg dm⁻³.

342

Table 2. Mean, standard deviation (SD), and minimum and maximum values of body weight, body condition score (French scale of 0-5 (Bazin et al., 1984)), morphology, volume and area of 64 dairy Holstein cows measured or calculated from 177 images. Truncated volume and area were calculated from the tip of the shoulder blades to the rump by placing one plane at each location.

Body trait	Mean	SD	Min.	Max.
Body weight, kg	673	65	539	871
Body condition score	2.05	0.25	1.50	2.88
Heart girth, cm	228	10	210	256
Chest depth, cm	85.9	3.2	78.8	95.3
Wither height, cm	146	5	135	160
Hip width, cm	58.8	3.4	50.7	66.7
Backside width, cm	53.8	2.7	44.3	63.5
Total volume, m ³	0.76	0.07	0.61	0.96
Truncated volume, m ³	0.69	0.07	0.56	0.84
Total area, m ²	6.84	0.45	5.80	8.32
Truncated area, m ²	5.53	0.39	4.60	7.17
Density, kg dm ⁻³	0.89	0.03	0.79	0.95

349

350 **3.3. Reproducibility and repeatability**

Repeatability estimated the error related to an operator's placement of planes on truncated images. Placement of the planes varied little (σ_{rp} for volume and area = 0.17% and 0.32%, respectively). Inter-operator reproducibility had larger error, σ_{Ro} for volume and area 1.00% and 1.80%, respectively. Reproducibility of total and truncated values in a changing environment (σ_{Ri}) had even higher errors (CVs for both = ca. 2-3%) (Table 3). In calculations of total volume and area, CVs expressed measurement error related to image acquisition and processing. In calculations of truncated volume and area, CVs combined image acquisition and processing error with plane-placement error.

360

Table 3. Reproducibility of total and truncated volume and area in a changing environment assessed by standard deviation (SD) and coefficient of variation (CV). Truncated volume and area were calculated from the tip of the shoulder blades to the rump by placing one plane at each location.

Repeatability	Mean	SD	CV
Total volume, m ³	0.78	0.02	2.24%
Truncated volume, m ³	0.72	0.02	2.43%
Total area, m ²	6.94	0.02	2.85%
Truncated area, m ²	5.59	0.1	3.12%

365

366 3.4. Estimating body weight from 3D images

Traits measured from 3D images were strongly correlated with each other and with BW (Table 4). BCS was not correlated with other variables (maximum r = 0.22). BW and volume (total or truncated) were strongly correlated (r = 0.93 and 0.92, respectively). Volume and area (total or truncated) were also strongly correlated (r = 0.84-0.87). Table 4. Correlation matrix between traits measured and/or estimated from 3D images. Truncated volume and area were calculated from the tip of the shoulder blades to the rump by placing one plane at each location. (Under the diagonal: Pearson correlation coefficient; Above the diagonal: p-value of the correlation). BCS: body condition score, BW: body weight.

The St.	Total	Truncated	Total	Truncated	Hip	Wither	Chest	Heart	Backside	500	DW
Irait	volume	volume	area	area	width	height	depth	girth	width	BCS	BW
Total volume	-	<0.001	<0.001	<0.001	<0.001	0.012	0.296	0.502	0.008	0.020	<0.001
Truncated volume	0.99	-	<0.001	<0.001	<0.001	0.012	0.298	0.535	0.008	0.018	<0.001
Total area	0.87	0.86	-	<0.001	0.004	0.017	0.407	0.948	0.025	0.007	0.003
Truncated area	0.84	0.86	0.94	-	0.005	0.019	0.485	0.871	0.027	0.010	0.004
Hip width	0.76	0.76	0.64	0.62	-	0.010	0.221	0.537	0.002	0.002	<0.001
Wither height	0.66	0.66	0.62	0.61	0.61	-	0.008	0.435	0.191	0.020	0.007
Chest depth	0.56	0.56	0.50	0.45	0.52	0.67	-	0.083	0.934	0.318	0.152
Heart girth	0.54	0.53	0.40	0.31	0.44	0.43	0.56	-	0.824	0.718	0.334
Backside width	0.61	0.61	0.53	0.50	0.61	0.38	0.30	0.26	-	0.001	0.004
BCS	0.15	0.14	0.04	0.01	-0.03	0.05	0.20	0.22	-0.12	-	0.031
BW	0.93	0.92	0.72	0.71	0.80	0.70	0.63	0.57	0.66	0.19	-

Since correlations between BW and the main traits were linear, linear regression models (1) and (2) were developed with the maximum number of variables from complete images using AIC (Table 5). After testing these more complex models, we included only 1-3 variables in models (3) and (4).

380

Table 5. Models predicting body weight (BW, in kg) of cows as a function of selected traits measured from complete images from the Morpho3D device. Model quality was assessed with a coefficient of determination (R²) and root mean square error of prediction (RMSEP).

	Model	BW			
	Model	R ²	RMSEP		
(1)	$BW = 812.1 \times total \ volume - 81.4 \times area + 343.8 \times backside \ width + 273.8 \times hip \ width + 208.8 \times heart \ girth + 113.7 \times wither \ height - 280.7$	0.93	18.2	2.72%	
(2)	$BW = 31,7 \times area + 608.8 \times hip width + 593.4 \times backside width + 257.2 \times wither height + 152.8 \times heart girth - 905.3$	0.82	29.3	4.38%	
(3)	$BW = 620 \times total \ volume \ + \ 379 \times backside \ width \ + \ 287\gamma \times hip \ width \ - \ 174$	0.88	22.5	3.36%	
(4)	$BW = 827.5 \times total \ volume \ + 45.8$	0.85	24.9	3.72%	
(5)	<i>BW = 102.3 × total area - 30.33</i>	0.49	45.2	8.75%	

384 For the selected traits, see corresponding units in tables 3 and 4

Model (1) was the most accurate (RMSEP = 2.72%, R² = 0.93); it included six of nine 385 possible traits (BCS not included because of the lack of correlation) previously 386 mentioned): total volume, total area, hip width, backside width, wither height and 387 chest depth. However, the coefficient of collinearity between total volume and total 388 area was greater than 4 (not presented). Other models, free of strong collinearity and 389 therefore more generalizable, were tested, such as including area but not volume 390 (model (2)), or volume but not area (model (3)), but they were less accurate (RMSEP 391 = 3.36% and 4.70%, respectively). A 4th model, which considered only volume, was 392 only moderately accurate ($R^2 = 0.85$, RMSEP = 3.72%), which corresponded to an 393

error of 25 kg in predicted BW. In a similar way, a final model (5), which considered only area, indicated a poor accuracy ($R^2 = 0.49$, RMSEP = 6.75%), which corresponded to an error of 45 kg in predicted BW.

397

398 3.5. Predicting total volume and area from truncated images

Since it was not always possible to acquire complete images, total cow volume and 399 area were predicted from truncated images (Table 6). A model using only truncated 400 volume (model (5b) predicted total volume accurately ($R^2=0.98$, RMSEP = 1.05%), 401 and adding heart girth increased its accuracy (model (5a), R² = 0.99, RMSEP = 402 1.02%). A model using only truncated area predicted total area accurately (model 403 (6b), $R^2 = 0.85$, RMSEP = 2.22%), and adding heart girth and backside width 404 increased its accuracy (model (6a), R² = 0.90, RMSEP = 2.14%); however, it was still 405 406 less accurate than the prediction of total volume.

407

Table 6. Models estimating total volume or total area of cows from truncated images. Model quality was assessed with a coefficient of determination (R²) and root mean square error of prediction (RMSEP). Truncated volume and area were calculated from the tip of the shoulder blades to the rump by placing one plane at each location.

	Model	R ²	RMSEP	
(5a)	Total volume $= 1.0595 \times truncated volume + 0.0165 \times heart girth - 0.0149$	0.99	0.008	1.02%
(5b)	$Total volume = 1.0704 \times volume + 0.0154$	0.98	0.008	1.05%
(6a)	Total area = $0.990 \times truncated$ area + $1.039 \times backside$ width + $0.518 \times heart$ girth - 0.365	0.90	0.146	2.14%
(6b)	$Total area = 1.07 \times truncated area + 0.94$	0.85	0.152	2.22%

412 For the selected traits, see corresponding units in tables 3 and 4

414 **4. Discussion**

415 Scanning an inert cylinder showed that the scanner could accurately acquire and calculate volume, area, length and circumference with less than 1% error. The 416 validation process assessed image acquisition and processing and thus validated the 417 overall accuracy of the method. This method can calculate volume and area with high 418 reproducibility (CV = 2.24% and 2.43%, respectively). On living animals, the 419 reproducibility coefficients for calculating volume and area were slightly higher due to 420 manual manipulation (placement of planes) and were quantified by the repeatability 421 of the placement of planes (0.17% and 0.32% for volume and area, respectively). A 422 423 future study could calculate the repeatability and reproducibility of each step of the method to identify when the method becomes less accurate. 424

425

426 To assess the interest of developing this tool to render measurements automatic or semi-automatic, inter-operator reproducibility of plane placement was considered 427 high (CVs for volume and area measurement = 1.00% and 1.80%, respectively). 428 According to Fischer et al. (2015), a method is repeatable and reproducible when its 429 CV is less than 3-5%. Unfortunately, repeatability and reproducibility tests are not 430 widely available in the literature, even though they are essential for determining the 431 relevance of tools and methods (Marinello et al., 2015). It is therefore difficult to 432 compare the method we developed to other tools. 433

434

The model used most often to estimate body area was developed by Mitchell (1928): 0.14 × BW^{0.67}. Other models are also available ((Elting 1926): (a): 0.147 × BW^{0.56}, (b): 0.0839 × BW^{0.67}; Brody (1945): 0.14 × BW^{0.57}; Johnson et al., (1961): 0.235 × BW^{0.46}). When we applied these models to the recorded BW in our database, some



yielded lower BW (Elting, 1926, model a; Brody, 1945; Johnson et al., 1961), similar

Figure 6. Surface area of cows predicted by published models *vs*. those calculated using theMorpho3D device.

446

439

Errors resulting from the image-reconstruction process or low-quality images may occur with the Morpho3D device. Other methods that estimate area, however, also have limits and can be difficult to use (e.g. the model of Mitchell (1928)). Future studies that accurately estimate area are needed with other methods than with Morpho3D device, but access to a large number of animals could be challenging, as well as determining arear with such methods

Like for body area, little information is available on cow volume. Minagawa (1994) estimated the volume of the neck and head of beef cows, and the results indicated that the rest of the body's volume was similar to our truncated volume. By applying our model (5b, Table 6) to this truncated volume, we predicted less than 1.5% difference in the total volume for four of Minagawa's five cows. The difference in total area was less than 6%.

460

Validating the methods used to estimate morphological traits, volume and area from 461 3D images enabled us to use these data to estimate cow BW, which is useful in 462 breeding and feeding programs, commercial transactions and in the search for new 463 indicators to estimate food-use efficiency in dairy animals. Estimation of BW, 464 465 particularly during the rearing period, has been based for decades on development indicators (Heinrichs et al., 1992). It is indeed traditionally and commonly used in 466 livestock production to follow growth of animals and/or then, adapt their feeding 467 regimes. It is also used for commercialisation purposes for examples. Most feeding 468 regimes for ruminants, pigs or poultry are based on animal body weight, which is 469 rarely measured on-farms. As a result, recommendations are often based on visual 470 estimation of BW. In addition, when performed so far, BW measurements are done 471 manually, using weighing systems, which are also time consuming, sometimes costly, 472 risky for human and animals health. Methods to estimate BW based on image 473 technologies are then of increasing interest for many research groups, breeding 474 organization, farmers and advisors. Estimating animal BW from measurements made 475 from 3D images is a recent possibility (Anglart, 2010; Buranakarl et al., 2012; 476 Kuzuhara et al., 2015). Anglart (2010) applied this approach to 3D acquisition of the 477

backs of Holstein dairy cows using a time-of-flight camera, obtaining a R² for BW of 478 0.87. Of the 6224 acquisitions, however, 30% of the BW estimated from the images 479 had an error of more than 30 kg. Buranakarl et al. (2012) acquired full-body 3D 480 images of buffaloes and developed 12 BW prediction equations (four each for all 481 buffaloes, females and males) by changing the number of parameters considered. 482 For females, they obtained an R² for BW of 0.89 using four parameters (wither height, 483 shoulder width, ischial width, length from ischia to shoulders). Kuzuhara et al. (2015) 484 predicted BW from seven traits (RMSEP = 42 kg). The models used in the present 485 study were therefore satisfactory ($R^2 = 0.82-0.93$, RMSEP from 2.72% (18.2 kg) to 486 4.38% (29.3 kg)) compared to those previously published. Since only 16% of the BW 487 had an error greater than 30 kg (model (3)), the scanner and the method used 488 appear reliable. Unlike previous studies that used only linear traits as parameters, 3D 489 490 imaging can create new models using volume and area. Ultimately, 3D imaging enables accurate and simplified estimation of BW from the traits measured, 491 especially because it allows calculation of volume, which is strongly correlated with 492 BW. Nevertheless, more automation (e.g. image preparation and measurement) is 493 required to fully benefit from this tool. 494

495

496 **Conclusion and future studies**

The scanning technology described in this study provides new perspectives for assessing animal morphology and can be used to calculate volume and area of dairy cows. Analyses indicated that it was possible to estimate total volume and area from truncated images; however, all images had the same degree of truncation. Future studies are needed to determine whether other cutting planes (i.e. types of other types of truncation) could be useful. This suggests that truncated images from a less

503 complicated or portable device could be used in the future. In addition, the device 504 can also be used to estimate BW which is useful information, without investing in a 505 weighing system. Preliminary results also indicated that the device can estimate 506 changes in volume in the short term (rumen content), medium term (embryo 507 development) and long term (growth).

The Morpho3D device allowed the acquisition of new phenotypes, not accessible until now, such as area and volume, at high-flow rates. There were no plans to implement this device on a large scale in commercial farms. For this purpose, a new version, not depending on animal movements and not sensitive to ambient light, is being tested. The quality of the 3D-images is lower, but sufficient to estimate most parameters previously presented, that will be compared to values obtained from Morpho3D device, considered as "Gold Standards".

515

516 Acknowledgments

The authors wish to thank everyone involved in the Morpho3D project, especially technicians at the Méjusseaume experimental station, who took excellent care of the animals. The Morpho3D project is supported by the National Fund CASDAR, which supports innovation in agriculture (RFP "Recherche Technologique" 2015, no. 005), special funds from the INRA Animal Physiology and Livestock Systems division for innovative projects and the collaborative ANR – APIS-GENE project DEFFILAIT.

523

524 **References**

Anglart, D., 2010. Automatic estimation of body weight and body condition score in dairy cows using
3D imaging technique. Swedish University of Agricultural Sciences, Master's thesis.

527 Bazin, S., Augeard, P., Carteau, M., Champion, H., Chilliard, Y., Cuylle, G., Disenhaus, C., Durand, G.,

528 Espinasse, R., Gascoin, A., Godineau, M., Jouanne, D., Ollivier, O., Remond, B., 1984. Grille de

- 529 notation de l'état d'engraissement des vaches pie-noires. Institut Technique de l'Elevage Bovin,
 530 Paris, France.
- Berman, A., 2003. Effects of body surface area estimates on predicted energy requirements and heat
 stress. Journal of Dairy Science 86, 3605-3610.
- Buranakarl, C., Indramangala, J., Koobkaew, K., Sanghuayphrai, N., Sanpote, J., Tanprasert, C.,
 Phatrapornnant, T., Sukhumavasi, W., Nampimoon, P., 2012. Estimation of body weight and body
- 535 surface area in swamp buffaloes using visual image analysis. Journal of Buffalo Science, 1, 13-20.
- Cignoni, P., Callieri, M., Corsini, M., Dellepiane, M., Ganovelli, F. Ranzuglia, G., 2008. MeshLab: an
 Open-Source Mesh Processing Tool. Sixth Eurographics Italian Chapter Conference, 129-136.
- Elting, E.C., 1926. A formula for estimating surface area of dairy cattle. Journal of Agriculture
 Research 33, 3, 269-279.
- Fischer, A., Luginbuhl, T., Delattre, L., Delouard, J. M., Faverdin, P., 2015. Rear shape in 3 dimensions
 summarized by principal component analysis is a good predictor of body condition score in Holstein
 dairy cows. Journal of Dairy Science 98, 4465 4476.
- Guo H., Ma, X., Ma, Q., Wang, K., Su, W., Zhu D., 2017. LSSA_CAU: an interactive 3d point clouds
 analysis software for body measurement of livestock with similar forms of cows and pigs.
 Computers and Electronics in Agriculture, 138, 60-68.
- Halachmi, I., Polak, P., Roberts, D.J., Klopcic, M., 2008. Cow body shape and automation of condition
 scoring. Journal of Dairy Science, 91, 4444-4451.
- Heinrichs, A.J., Rogers, G.W., Cooper, J.B., 1992. Predicting body weight and wither height in Holstein
 heifers using body measurements. Journal of Dairy Science, 75 (12), 3576-3581.
- Kazhdan, M., Hoppe, H., 2013. Screened Poisson surface reconstruction. ACM Transactions on
 Graphics, 32 (3), Article 29.
- 552 Kuzuhara, Y., Kawamura, K., Yoshitoshi, R., Tamaki, T., Sugai, S., Ikegami, M., Kurokawa, Y., Obitsu,
- 553 T., Okita, M., Sugino, T., Yasuda, T., 2015. A preliminarily study for predicting body weight and milk
- 554 properties in lactating Holstein cows using a three-dimensional camera system. Computers and 555 Electronics in Agriculture, 111, 186-193.
- Le Cozler Y, Allain A, Caillot A, Delouard JM, Delattre L, Luginbuhl T, Faverdin P 2019. High precision scanning system for complete 3D cow body shape imaging and analyzing morphological traits.
- 558 Computers and electronics in Agriculture 157,447-453.

- Marchant, J.A., Schofield, C.P., 1993. Extending the snake image processing algorithm for outlining
 pigs in scenes. Computers and Electronics in Agriculture, 8, 261-275.
- Minagawa, H., 1994. Surface area, volume, and projected area of Japanese-shorthorn cattle
 measured by stereo photogrammetry using non-metric cameras. Journal of Agriculture Met 50(1),
 17-22.
- 564 Mirtich, B., 1996. Fast and accurate computation of polyhedral mass properties. Journal of Graphics 565 Tools 1 (2), 31-50.
- 566 Mortensen, A.K., Lisouski, P., Ahrendt, P., 2016. Weight prediction of broiler chickens using 3D 567 computer vision. Computers and Electronics in Agriculture, 123, 319-326.
- Negretti, P., Bianconi, G., Bartocci, S., Terramoccia, S., Verna, M., 2008. Determination of live weight
 and body condition score in lactating Mediterranean buffalo by Visual Image Analysis. Livestock
 Science, 113, 1-7.
- 571 Pezzuolo, A., Guarino, M., Sartori, L., Marinello, F., 2018. A feasibility study on the use of a structured
 572 light depth-camera for three-dimensional body measurements of dairy cows in free-stall barns.
 573 Sensors, 18, 673, doi: 10.3390/s18020673.
- Pezzuolo, A, Guarino, M., Dartori, L., Gonzalez, L.A., Marinello, F., 2018. On-barn pig weight
 estimation based on body measurements by a Kinect v1 depth camera. Computers and Electronics
 in Agriculture, 148, 29-36.
- 577 R Core Team 2019. R: a language and environment for statistical computing. R Foundation for
 578 Statistical Computing, Vienna, Austria. Version 3.2.4. Retrieved 1 April 2016 from https:// www .r579 project.org/.
- Schofield C. P., Marchant J. A., White R. P., Brandl N., Wilson M. 1999. Monitoring of pig growth using
 prototype imaging system. Journal of Agricultural Engineering Research, 72, 3, 205-210.
- Spoliansky, R., Edan, Y., Parmet, Y., Halachmi, I., 2016. Development of automatic body condition
 scoring using a low-cost 3-dimensional Kinect camera. Journal of Dairy Science, 99, 9, 7714 7723.
- Van Hertem, T., Viazzi, S., Steensels, M., Maltz, E., Anatler, A., Alchanatis, V., Schlageter-Tello, A.A.,
 Lokhorst, K., Romanini, E.C.B., Bahr, C., Berckmans, D., Halachmi, I., 2014. Automatic lameness
- 587 detection based on consecutive 3D-video recordings. Biosystems Engineering, 119, 108-116.

- Wang, K., Guo, H., Ma, Q., Su, W., Chen, L., Zhu, D., 2018. A portable and automatic Xtion-based
 measurement system for pig body size. Computers and Electronics in Agriculture, 148, 291-298.
- Zhao, K., Bewley, J.M., Heade, D., Jin, X., 2018. Automatic lameness detection in dairy cattle based
 on leg swing analysis with an image processing technique. Computers and Electronics in
 Agriculture, 148, 226-236.