

Green roof set-up analysis: Monitoring and simulation of water and thermal transfer using HYDRUS-1D

Ryad Bouzouidja, Maeva Sabre, David Ramier, Patrice Cannavo, Rémi

Claverie

▶ To cite this version:

Ryad Bouzouidja, Maeva Sabre, David Ramier, Patrice Cannavo, Rémi Claverie. Green roof set-up analysis: Monitoring and simulation of water and thermal transfer using HYDRUS-1D. 10th International Conference on Urban Climate/14th Symposium on the Urban Environment, Aug 2018, New-York, United States. . hal-02567519

HAL Id: hal-02567519

https://institut-agro-rennes-angers.hal.science/hal-02567519v1

Submitted on 12 May 2020 $\,$

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

10th International Conference on Urban Climate/14th Symposium on the Urban Environment 6-10 August 2018, New York, NY, USA





81. Green roof set-up analysis: Monitoring and simulation of water and thermal transfer using HYDRUS-1D

<u>Ryad BOUZOUIDJA^{1,2*}, Maeva SABRE³⁺, David RAMIER⁴, Patrice CANNAVO¹, Rémy CLAVERIE⁵</u>


¹EPHor, AGROCAMPUS OUEST, IRSTV, 49042, Angers, France ²Université de Nantes, UMR 6112 LPG-Nantes (Laboratoire de Planétologie et Géodynamique de Nantes) ³CAPE, Centre Scientifique et Technique du Bâtiment, Nantes, France ⁴*Cerema Dter IdF, Trappes, France*

⁵CEREMA DTer Est, Tomblaine, France

INTRODUCTION

- **Urbanization = sealed surfaces** poorly covered by vegetation \rightarrow **Increasing** water runoff **55% in urban** area vs **10% in natural** area. **Urban Heat Island (UHI)** = Man's modification of the atmospheric environment \rightarrow the temperature increase may reach up to 10°C. Green roofs (GR) = part of the solution for urban water and **thermal management** because they can:
- **Store and release water with a delay.** Storage capacity = 40 to 80% of the total annual rainfall volume depending on the substrates properties (*i.e.* thickness, characteristics and proportion of its organic and mineral components) but also on type of plants and vegetation (Bengtsson et al., 2005).
- Reduce urban air temperatures by 1.4°C on average 3.2°C at best, which may lead to a reduction in UHI amplitude (Jaffal et al., 2012).
- But GR are also living systems that are submitted to a significant evolution with time capability to retain water and refresh the climate.


thermal The influence GR hydrologic addressed. Of aging their and performances was yet poorly on







GREEN ROOF SOLUTION




THE GR SYSTEM CAN:

- Reduce storm water runoff
- additional Provide roof the and extend insulation underlying membrane life
- Facilitate the implantation of vegetated by roofs homeowners
- Enhance heat island mitigation and carbon sequestration

IN SITU EXPERIMENTAL GR

7 \times **2.3** M^2 of experimental plots

Located in Nantes (47°15′17″N, 1°33′18.8″O) temperate oceanic climate Implemented in April 2011




BEHAVIOR ANALYSIS

Comparison of GR water and thermal performances under different land covers: i) bare soil, ii) sedum album, iii) Festuca glauca and iv) Dianthus deltoides.

Data used Soil moisture,

- Air and soil temperature,
- Relative humidity,
- Wind speed, Global radiation,
- Rainfall




TDR-CS 616 🔺 Thermocouple

EVALUATION OF GR PERFORMANCES

Hydrus-1D

In this study the HYDRUS-1D model is used to simulate the thermal behavior and water movement in the GR. The model is capable of simulating the water movement in unsaturated, partly saturated or fully saturated porous media (Simunek et al., 2008).



 $h \ge 0$

- And Andrew A

Upper boundary condition

Met. Data

RESOLUTION

The soil water content θ is modeled using the van Genuchten-Mualem (VGM) model (simple porosity model) (Mualem, 1976; van Genuchten, 1980)

Initial condition

at time (t=0)


 θ volumetric water content [m³ m⁻³]; h soil pressure head [m]; t time [hour]; *z* spatial coordinate [m]; positive downward; K(h) unsaturated hydraulic conductivity [m h⁻¹]; S sink term, accounting for plant water; Cp and Cw volumetric heat capacity of the solid and liquid phases [J m⁻³ °C⁻¹]; T temperature [°C]; $\lambda(\theta)$ heat conductivity [W m⁻¹ °C⁻¹]; q total water flux density [m s⁻¹]; θ_s and θ_r saturated and residual water content [m³ m⁻³]; K_s saturated hydraulic conductivity [m h⁻¹]; a [m-1], n[-] and [m] are adjustable parameters; ET evapotranspiration [mm]; R Rainfall [mm]; Q_{out} drainage outflow [mm].

WATER BALANCE (WB) AND EVAPOTRANSPIRATION (ET) CALCULATION

The water balance of GR can be written as below:

$ET = R - Q_{out} \pm S$

Measurement with a evapotranspiration chamber developed at Cerema (Figure below) with an area of 1 m² and a height of 30 cm:



Enclosure plexiglas

Cooling fans


R²=0.89

R²=0.95


Lower boundary

NR-Lite


Hydrodynamic behavior of green roof



- The corresponding simulated data (using HYDRUS-1D simulation tool) and measured hydrographs for 401 l m⁻² of cumulated rainfall (January to July 2012) show that the simulated soil water content value of the simulated water content is in quite good agreement with the experimental data
- The figure shows that the model correctly calculates the internal state of the substrate. The water content increases over time during rainfall, and decreases during dry periods.




EVOLUTION OF THERMAL BEHAVIOR OF GREEN ROOF



INFLUENCE OF LAND SURFACE

- Regarding the variation of water content during time illustrates the variably temperature conditions inside the substrate. The model **slightly overestimates** (+6°C) the surface temperature and soil temperature at 6 cm depth (+0.5°C) during the warm period. During the cold period, the model underestimates the surface temperature during nighttime (-2°C) and perfectly simulates the temperature during daytime.



SUMMARY

- We conduct observations and simulations of temperature and hydraulic behaviour of green roof in Nantes city, France.
- Our work provide a better understanding of the coupled thermal and hydrological processes in green roof technology.
- Our simulations showed that the green roofs has an original behavior: (i) great variations in hot and cold thermal performance, (ii) a strong impact of water inside GR opposite the thermal behavior and (iii) the daily variability of the ET is well observed. The measurement with the evapotranspiration chamber also makes it possible to apprehend the seasonal variability.
- Further simulation of actual evapotranspiration will be performed using Hydrus-1D, incorporating the impact of rock present in the soil using double porosity models.

